


DO NOT SCALE – IF IN DOUBT ASK
 ALL DIMENSIONS ARE IN MILLIMETERES (mm)

Slotted Post Capping (Use scenarios)

Scenario 1: To cover standard 1.830m wide panel & two standard end posts, use 2.0m long capping (stock code: 667772) as shown. In the event of a fence run in steps, use the same capping for the TOP PANEL.




<h1 style="margin: 0;">Jacksons</h1> <div style="border: 1px solid black; padding: 2px; display: inline-block;">FINE FENCING</div>	Stowing Common Near Ashford, KENT. TN25 6BN Telephone : 01233 750393 Fax: 01233 750403 Int. Tel : +44 (0)1233 750393	Drawn Ali Date 20/10/2015 Checked DD Size A4	TITLE Slotted Post Capping (Use Scenarios)	CUSTOMER Web ACK No.	Drawing No. 15 J7/02228 1 of 4
		This Drawing Is The Property Of H.S. Jackson & Son (Fencing) Ltd. And May Not Be Copied Or Reproduced In Any Way Without Prior Written Permission.		© 20/10/2015 Original Issue	

DO NOT SCALE – IF IN DOUBT ASK
 ALL DIMENSIONS ARE IN MILLIMETERES (mm)

Slotted Post Capping (Use scenarios)

Scenario 2: To cover 2 standard 1.830m wide panels in a straight run with 2 standard end posts and 1 standard inter post, use 2.0m long capping (stock code: 667772) as shown.




<h1 style="margin: 0;">Jacksons</h1> <div style="border: 1px solid black; padding: 2px; display: inline-block;">FINE FENCING</div>	Stowting Common Near Ashford, KENT. TN25 6BN Telephone : 01233 750393 Fax: 01233 750403 Int. Tel : +44 (0)1233 750393	Drawn Ali Date 20/10/2015 Checked DD Size A4 Scale NTS U.O.S		TITLE Slotted Post Capping (Use Scenarios)	
	This Drawing Is The Property Of H.S. Jackson & Son (Fencing) Ltd. And May Not Be Copied Or Reproduced In Any Way Without Prior Written Permission.		© 20/10/2015 Original Issue		CUSTOMER Web ACK No.

DO NOT SCALE – IF IN DOUBT ASK
 ALL DIMENSIONS ARE IN MILLIMETERES (mm)

Slotted Post Capping (Use scenarios)


Scenario 3: To cover panels in a straight run with standard Inter posts use 1.880m capping (stock code: 667700) as shwon.



<h1 style="margin: 0;">Jacksons</h1> <div style="border: 1px solid black; padding: 2px; display: inline-block;">FINE FENCING</div>	Stowting Common Near Ashford, KENT. TN25 6BN Telephone : 01233 750393 Fax: 01233 750403 Int. Tel : +44 (0)1233 750393		Drawn Ali Date 20/10/2015 Checked DD Size A4 Scale NTS U.O.S	TITLE Slotted Post Capping (Use Scenarios)	CUSTOMER Web ACK No.	Drawing No. 15 J7/02228 3 of 4
	This Drawing Is The Property Of H.S. Jackson & Son (Fencing) Ltd. And May Not Be Copied Or Reproduced In Any Way Without Prior Written Permission.	© 20/10/2015 Original Issue				

DO NOT SCALE – IF IN DOUBT ASK
 ALL DIMENSIONS ARE IN MILLIMETRES (mm)

Slotted Post Capping (Use scenarios)



Scenario 4: To cover the corner of a fence run with standard corner post and standard panels 1.83m wide, use 2.0m capping (stock code:667772) and mitre joint them as shown.

Jacksons FINE FENCING	Stowting Common Near Ashford, KENT. TN25 6BN Telephone : 01233 750393 Fax: 01233 750403 Int. Tel : +44 (0)1233 750393	Drawn Ali	TITLE	
		Date 20/10/2015	Slotted Post Capping (Use Scenarios)	
This Drawing Is The Property Of H.S. Jackson & Son (Fencing) Ltd. And May Not Be Copied Or Reproduced In Any Way Without Prior Written Permission.		Checked DD	CUSTOMER	Drawing No.
		Size A4	Web	15 J7/02228
© 20/10/2015 Original Issue		Scale NTS U.O.S	ACK No.	4 of 4